



R. Pelgrimslaan 101 – 1702 Groot-Bijgaarden – Belgium – Tel: +32 2 463.06.50 – Fax: +32 2 466.15.00
E-mail: generalaudio@skynet.be – Web: www.genaudio.com



LIFT - TRUSSES

01-01-09

Prices are subject to changes without notice.

LIGHTING SUPPORTS

		<u>retail ex VAT</u>
LW 10	Follow spot support. Height: 2,10 mt. Weight: 7,3 Kg.	85,00
CP 1	Accessory for the LW 10	12,00
LW 20	Follow spot support. Height : 1,58 mt. Weight: 9 Kg.	177,00
CP 2	Accessory for the LW 20	26,00
LW 125	Max. weight: 60 Kg. Ø 35. Height 3,10 mt. Weight:7,3 Kg.	111,00
LW 125 + AW 500	Set de torre plegable y barra transversal. Carga: 60 Kg	71,00
LW 126	Torre plegable	123,00
LW 127	Max.weight:70 Kg. Ø 35 Height:2,8 mt. Weight:9,5 Kg.	160,00
LW 129	Max.weight:100 Kg. Ø 35.Height:2,7 mt. Weight: 10,5 Kg	272,00
LW 130	Max.weight: 100 Kg. Ø 35.Height: 3mt. Weight: 13 Kg.	338,00

LIFTING TOWERS

LW 330	Load : 100 Kg. Ø 35. Height : 3,3 m	583,00
LW 135R	Load : 100 Kg. Ø 35. Height : 3,5 m	552,00
LW 142R	Load : 100 Kg. Ø 35 mm. Height: 4,05 m	651,00
LW 150R	Load : 100 Kg. Ø 35. Height: 5 m	743,00
LW 155R	Load : 150 kg. Height: 5,3 m	1.005,00
LW 185R	Load : 190 Kg. Ø 35. Height : 5,3 m	1.137,00
LW 255R	Load : 220 Kg. Ø 55. Height : 5,3 m	1.316,00
LW 265R	Load : 220 Kg. Ø 40. Height: 6,5 m	1.460,00
LW 290R	Load : 290 Kg. Ø 50. Height : 6,6 m	1.891,00
LW 415 R	Load : 170 kg - Height : 5 m	1.931,00
LW 425 R	Load : 150 kg. Height: 6,5 m	2.169,00
LW 476R	Load: 200 Kg. Height 7,6 m	2.820,00
LW 461R	Load: 250 Kg. Height 6,5 m	2.511,00
LW 465R	Load : 370 Kg. Height : 6,5 m	3.754,00
LW 480R	Load : 300 Kg. Height 8 m	4.291,00
WT 600	LINE ARRAY - 350 kg - 6,5 m	3.301,00
AW 50	Base with winch. Load: 500 Kg. Height:7 mt.	1.733,00
AW 51	Aluminium truss - 1 mt. - 30x30 with security fastener	298,00
AW 52	Aluminium truss - 2 mt. - 30x30 with security fastener	439,00
AW 53	Aluminium truss - 3 mt. - 30x30 with security fastener	533,00
AW 54	Aluminium top structure part - 2 mt. - 30x30	515,00
AW 60	Truss - 40x60x240 simple with guides and wheels	702,00
AW 61	Truss - 40x60x300 simple with guides and wheels	763,00
AW 62	Truss - 60x60x240 double with guides and wheels	762,00
AW 63	Truss - 60x60x300 double with guides and wheels	828,00

ACCESSORIES

AW 21	Male bolt for truss	17,00
AW 22	Female bolt for truss	17,00
AW 23	Fastener for the bolt	2,00
AW 24	Clip for the fastener	1,00
AW 135	Support bar for truss. 35mm. Male tube	71,00
AW 137	Support bar for truss. 35mm. Female tube	71,00
AW 140	Support bar for truss. 40mm. Male tube	71,00
AW 150	Support bar for truss. 50mm. Male tube	71,00

		<u>retail ex VAT</u>
AW 155	Support bar for truss. 55mm. Male tube	67,00
AW 215	Support bar for truss. 35 mm. Female tube (AW 220)	23,00
AW 235	Support bar for truss. 35 mm. Male tube	31,00
AW 237	Support bar for truss. 35 mm. Female tube	31,00
AW 240	Support bar for truss. 40 mm. Male tube	31,00
AW 250	Support bar for truss. 50 mm. Male tube	31,00
AW 255	Support bar for truss. 55 mm. Male tube	31,00
AW 335	Lateral support bar. 35 mm. Male tube	43,00
AW 337	Lateral support bar. 37 mm. Male tube	43,00
AW 340	Lateral support bar. 40 mm. Male tube	43,00
AW 350	Lateral support bar. 50 mm. Male tube	48,00
AW 355	Lateral support bar. 55 mm. Male tube	76,00
AW 435	Twin lateral support. 35 mm. Tube	76,00
AW 440	Twin lateral support. 40 mm. Tube	79,00
AW 450	Twin lateral support. 50 mm. Tube	79,00
AW 455	Twin lateral support. 55 mm. Tube	79,00
AW 10	Parallel truss support. 35 mm. Male Tube	33,00
AW 11	Parallel truss support. 35 mm. Female Tube	33,00
AW 12	Parallel truss support. 40 mm. Male Tube	33,00
AW 29	Parallel truss support. 50 mm. Male Tube	38,00
AW 13	Parallel truss support. 55 mm. Male Tube	33,00
AW 14	Double truss adapter for 40 x 60	106,00
AW 15	Double truss adapter for 60 x 60	106,00
AW 16	Simple truss adapter for 40 x 60	53,00
AW 17	Double truss adapter for fixed bridge 40 x 60	111,00
AW 18	Simple truss adapter for fixed bridge 40 x 61	66,00
LIFTER/TRUSS ACCESSORIES		
AW 19	40 x 60 Truss adapter for LW-255R	61,00
AW 20	40 x 60 Truss adapter for LW-265 R	61,00
AW 30	41 x 60 Truss adapter for LW-290 R	64,00
AW 1/ 35	Support for 2 loudspeakers - 35 mm. top hat	33,00
AW 2/ 37	Support for 2 loudspeakers - LW-125/127/129/130	33,00
WINCHES		0,00
4 AF/40	Winch with automatic brake - 500 Kg.	100,00
6 AF	Winch with automatic brake - 600 Kg.	125,00
8 AF	Winch with automatic brake - 800 Kg.	170,00
MOD 351	Winch with automatic brake - 350 Kg.	135,00
MOD 501	Winch with automatic brake - 500 Kg.	173,00
MOD 901	Winch with automatic brake - 900 Kg.	243,00
ELECTRIFIED BARS		
BEW 8/1 TWO	Electrified bar for 8 spots & 1 Input Harting	187,00
BEW 8/2 TWO	Electrified bar for 8 spots & 2 Input/Output Harting	206,00
AW 500	Transversal bar for LW 125. Length:1,50 mt.	36,00
AW 535	Transversal bar.Length: 1960 mm. 35 mm. Male	48,00
AW 537	Transversal bar.Length: 1960 mm. 35 mm. female	51,00
AW 540	Transversal bar.Length: 1960 mm. 40 mm. Male	53,00
AW 550	Transversal bar.Length: 1960 mm. 50 mm. Male	53,00
AW 555	Transversal bar.Length: 1960 mm. 55 mm. Male	53,00
WTB 22	Male bolt for 22 cm truss	9,00
WTP 22	Cone fastener for 22 cm truss	2,00
WTR 22	"R" pin for fastener WTP 22	1,00
WTB 29	Male bolt for 29 cm truss	7,00
WTP 29	Cone fastener for 29 cm truss	2,00
WTR 29	"R" pin for fastener WTP 29	1,00

ALUMINIUM PARALELL TRUSSES

retail ex VAT

WPX 22 SERIES

WPX 22/100	32mm.tube - thickness: 1.5 mm. Length 100 cm.	78,00
WPX 22/200	32 mm.tube - thickness 1.5 mm. Length: 200 cm.	111,00
WPX 22/300	32 mm.tube- thickness 1.5 mm. Length: 300 cm.	144,00

WPX 29 SERIES

WPX 29/100	Tube 50 mm. Grosor 2 mm. Longitud 100 cm.	97,00
WPX 29/200	Tube 50 mm. Grosor 2 mm. Longitud 200 cm.	140,00
WPX 29/300	Tube 50 mm. Grosor 2 mm. Longitud 300 cm.	189,00
WPX 22/L2090P	2 ways - 90° - horizontal- 50 x 50 x 22 cm	101,00
WPX 29/L2090P	2 ways - 90° - horizontal- 50 x 50 x 29 cm	110,00
WPX 22/L2090V	2 ways 90° - vertical- 50 x 50 x 22 cm	101,00
WPX 29/L2090V	2 ways 90° - vertical- 50 x 50 x 29 cm	110,00
WPX 22/L3CP	3 ways 90°- horizontal corner- 50x50x22 cm	171,00
WPX 29/L3CP	3 ways 90°- horizontal corner- 50x50x29 cm	190,00
WPX 22/L3CV	3 ways 90°- vertical corner- 50x50x22 cm	171,00
WPX 29/L3CV	3 ways 90°- vertical corner- 50x50x29 cm	190,00
WPX 22/T3NV	3 ways 90° - T union - Vertical - 50 x 50 x 22 cm	171,00
WPX 29/T3NV	3 ways 90° - T union - Vertical - 50 x 50 x 29 cm	190,00
WPX 22/T3NP	3 ways 90° - T union - horizontal - 50 x 50 x 22 cm	171,00
WPX 29/T3NP	3 ways 90° - T union - horizontal - 50 x 50 x 29 cm	190,00
WPX 22/X4NV	4 ways 90° - cross union vertical - 50x50x22	214,00
WPX 29/X4NV	4 ways 90° - cross union vertical - 50x50x29	224,00
WPX 22/X4NP	4 ways 90° - cross union horizontal - 50x50x22	214,00
WPX 29/X4NP	4 ways 90° - cross union horizontal - 50x50x29	224,00

ALUMINIUM TRUSSESWTX 22 SERIES

WTX 22/100	Triangle truss - 32 mm. Tube - Length: 100 cm.	130,00
WTX 22/200	Triangle truss - 32 mm. Tube - Length: 200 cm.	187,00
WTX 22/300	Triangle truss - 32 mm. Tube - Length: 300 cm.	260,00

WTX 29 SERIES

WTX 29/100	Triangle truss - 50 mm. Tube - Length: 100 cm.	158,00
WTX 29/200	Triangle truss - 50 mm. Tube - Length: 200 cm.	241,00
WTX 29/300	Triangle truss - 50 mm. Tube - Length: 300 cm.	326,00
WTX 29/400	Triangle truss - 50 mm. Tube - Length: 400 cm.	413,00

WTX SERIES CORNERS - TRIANGLE

WTX 22/L2045	2 ways - 45° horizontal - 100 x 100 x 22 cm	207,00
WTX 29/L2045	2 ways - 45° horizontal - 100 x 100 x 29 cm	210,00
WTX 22/L2060	2 ways - 60° horizontal - 100 x 100 x 22 cm	207,00
WTX 29/L2060	2 ways - 60° horizontal - 100 x 100 x 29 cm	210,00
WTX 22/L2090	2 ways - 90° horizontal corner-50x50 x22 cm	150,00
WTX 29/L2090	2 ways - 90° horizontal corner-50x50 x29 cm	168,00
WTX 22/L2120	2 ways - 120° horizontal corner-50x50 x22 cm	163,00
WTX 29/L2120	2 ways - 120° horizontal corner-50x50 x29 cm	166,00
WTX 22/L2135	2 ways - 65° horizontal corner-50x50 x22 cm	150,00
WTX 29/L2135	2 ways - 65° horizontal corner-50x50 x29 cm	168,00
WTX 22/L2090D	2 ways - 90° vertical corner-50x50 x22 cm	150,00
WTX 29/L2090D	2 ways - 90° vertical corner-50x50 x29 cm	168,00
WTX 22/2090I	2 ways - 90° vertical corner-apex in	150,00
WTX 29/2090I	2 ways - 90° vertical corner-apex in	210,00
WTX 22/R3U	3 ways - 90° vertical corner-apex right out	239,00
WTX 29/R3U	3 ways - 90° vertical corner-apex right out	333,00
WTX 22/L3U	3 ways - 90° vertical corner-apex left out	239,00

		<u>retail ex VAT</u>
WTX 29/L3U	3 ways - 90° vertical corner-apex left out	333,00
WTX 22/L3R	3 ways - 90° vertical corner-apex in	239,00
WTX 29/L3R	3 ways - 90° vertical corner-apex in	276,00
WTX 22/L3L	3 ways - 90° vertical corner-apex in	239,00
WTX 29/L3L	3 ways - 90° vertical corner-apex in	275,00
WTX 22/T3FR	3 ways - 90° - T union - right apex in	239,00
WTX 29/T3FR	3 ways - 90° - T union - right apex in	239,00
<u>WTX SERIES ACCESSORIES</u>		
WTX 22/T3FL	3 ways - 90° - T Unión - left apex in	239,00
WTX 29/T3FL	3 ways - 90° - T Unión - left apex in	239,00
WTX 22/T3F	3 ways - 90° - horizont. T Union - apex out	239,00
WTX 29/T3F	3 ways - 90° - horizont. T Union - apex out	239,00
WTX 22/T3FU	3 ways - 90° - horizont. T Union - apex out	239,00
WTX 29/T3FU	3 ways - 90° - horizont. T Union - apex out	239,00
WTX 22/T3U	3 ways - 90° - Cross union	239,00
WTX 29/T3U	3 ways - 90° - Cross union	239,00
WTX 22/X4U	4 ways - 90° - horizontal cross union	285,00
WTX 29/X4U	4 ways - 90° - horizontal cross union	293,00
WTX 22/T4	4 ways - 90° - T Unión - apex in	285,00
WTX 29/T4	4 ways - 90° - T Unión - apex in	293,00
WTX 22/T4U	4 ways - 90° - T Unión - apex out	285,00
WTX 29/T4U	4 ways - 90° - T Unión - apex in	293,00
WTX 22/T5R	4 ways - 90° - Right corner	285,00
WTX 29/T5R	4 ways - 90° - Right corner	293,00
WTX 22/T5L	4 ways - 90° - left corner	285,00
WTX 29/T5L	4 ways - 90° - left corner	293,00
WTX 22/X4	4 ways - 90° - vertical cross union	285,00
WTX 29/X4	4 ways - 90° - vertical cross union	292,00
WTX 22/X5	5 ways - 90° - T Union - apex in	380,00
WTX 29/X5	5 ways - 90° - T Union - apex in	366,00
WTX 22/X5C	5 ways - 90° - cross union	381,00
WTX 29/X5C	5 ways - 90° - cross union	366,00
WTX 22/X6	6 ways - 90° - cross union	415,00
WTX 29/X6	6 ways - 90° - cross union	443,00
WTX 22/X5U	5 ways - 90° - T Union -apex out	381,00
WTX 29/X5U	5 ways - 90° - T Union -apex out	367,00
<u>WCX 29 SERIES</u>		
WCX 29/100	Square truss -50 mm. Tube - Length 100 cm.	213,00
WCX 29/200	Square truss - 50 mm. Tube - Length 200 cm.	321,00
WCX 29/300	Square truss - 50 mm. Tube - Length 300 cm.	437,00
WCX 29/400	Square truss - 50 mm. Tube - Length 400 cm.	545,00
<u>WCX 40 SERIES</u>		
WCX 40/100	Square truss -50 mm. Tube - Length 100 cm.	274,00
WCX 40/200	Square truss - 50 mm. Tube - Length 200 cm.	422,00
WCX 40/300	Square truss - 50 mm. Tube - Length 300 cm.	576,00
WCX 40/400	Square truss - 50 mm. Tube - Length 400 cm.	710,00
<u>CROSS UNION CUBE</u>		
CUBE 29	Cube for WCX 29 - Square	407,00
<u>CONNECTOR CUBE</u>		
CONNECTOR CUBE 29	Set of bolt and screw	24,00
<u>WCX SERIES SQUARE - CORNERS</u>		
WCX 29/L2090	2 ways - 90° - corner - 50 x 50x 29 cm	215,00
WCX 40/L2090	2 ways - 90° - corner - 50 x 50x 40 cm	298,00
WCX 29/L3	3 ways - 90° - corner - 50 x 50x 29 cm	326,00

		<u>retail ex VAT</u>
WCX 40 /L3	3 ways - 90° - corner - 50 x 50x 40 cm	510,00
WCX 29/T3	3 ways - 90° - T union - 50 x 50x 29 cm	288,00
WCX 40 /T3	3 ways - 90° - T union - 50 x 50x 40 cm	510,00
WCX 29/T4	4 ways - 90° - T union - 50 x 50x 29 cm	377,00
WCX 40/T4	4 ways - 90° - T union - 50 x 50x 40 cm	496,00
WCX 29/X4	4 ways - 90° - cross union - 50 x 50x 29 cm	377,00
WCX 40/X4	4 ways - 90° - cross union - 50 x 50x 40 cm	496,00
WCX 29/X5	5 ways - 90° - cross union - 50 x 50x 29 cm	439,00
WCX 40/X5	5 ways - 90° - cross union - 50 x 50x 40 cm	586,00

BASEPLATE

WTX 22 BASEPLATE	Base for WTX 22 triangle	36,00
WTX 29 BASEPLATE	Base for WTX 29 triangle	50,00
WCX 29 BASEPLATE	Base for WTX 29 triangle	59,00
WCX 40 BASEPLATE	Base for WCX 40 square	137,00

CIRCULAR TRUSS

CIRCULAR FORM WITH WTX

WTX 22 /100 C	32 mm. Tube - Length 100 cm.	801,00
WTX 22 /200 C	33 mm. Tube - Length 200 cm.	1.601,00
WTX 22 /300 C	34 mm. Tube - Length 300 cm.	2.402,00
WTX 29 /100 C	50 mm. Tube - Length 100 cm.	771,00
WTX 29 /200 C	50 mm. Tube - Length 200 cm.	1.542,00

CIRCULAR ALUMINIUM TRUSS

WTX 29 /300 C	50 mm. Tube - Length 300 cm.	2.313,00
WCX 29 /100 C	Circular Truss. Tube 50 mm Length 100 cm.	1.052,00
WCX 29 /200 C	Circular Truss. Tube 50 mm Length 200 cm.	1.627,00
WCX 29 /300 C	Circular Truss. Tube 50 mm Length 300 cm.	2.712,00
WCX 40 /100 C	Circular Truss. Tube 50 mm Length 100 cm.	2.009,00
WCX 40 /200 C	Circular Truss. Tube 50 mm Length 200 cm.	4.021,00
WCX 40 /300 C	Circular Truss. Tube 50 mm Length 300 cm.	6.030,00

TRUSSES ACCESSORIES

AW 31		23,00
AW 32		19,00
HINGE		57,00
ADAPTER TUBE 105	105 mm. - adapter	22,00
ADAPTER TUBE 170	170 mm. - adapter	34,00
ADAPTER TUBE 210	210 mm. - adapter	45,00
WCB/100	Reforced apex - 100cm.	70,00
WCB/200	Reforced apex - 200cm.	88,00
WCB/300	Reforced apex - 300cm.	105,00

CLAMPS

G 1	Clamp for 20mm. Tube	4,00
G 1/32	Clamp for 32mm. Tube	5,00
G 2	Clamp for 50mm. Tube	8,00
G 3	Clamp with protection for 50mm. Tube	10,00
G 4	Clamp with protection for 50mm. Tube	13,00
G 5	Clamp with protection for 50mm. Tube	20,00
CP 1	Adapter	12,00
C 320	End piece for 50 mm	45,00
C 400	Quicklamp for 50 mm tube	20,00
P 2	Adapter	12,00
CS 1	4 mm. Security cable - Length 90 cm	4,00
CS 2	5 mm. Security cable - Length 140 cm	4,00
C 360	Simple halfcoupler	20,00
C 363	Simple halfcoupler with lifting eye	21,00
C 370	Simple halfcoupler with lifting eye	21,00
C 375	Halfcoupler with female connector	61,00
C 280	Halfcoupler with TV-tap	19,00
C 382	Swivel coupler for 50 mm. Tube	37,00
C 550	Horizontal stand with mobile clamp	117,00
C 500	Horizontal stand with mobile clamp	117,00
C 700	Horizontal stand with mobile clamp	124,00